


Icon,

Barok Sanatı M6. Yüzyılın sonlarına doğru İtalya'da doğmuştur. Bu akım M8. Yüzyılın başında ise tüm İtalya'ya ve birçok Avrupa ülkesine yayılmıştır. Rönesansta dengeli olan görünüm Barokta değişim yaşamıştır. Barokta gösteriş ve heyecan vardır. Bunun sonucunda da ortaya gösterişli mimari yapılar ve duygu yüklü eserler yerini almıştır Bu akımın bilinen en önemli özellikleri görkem, aşırılık ve heyecandır.

Tasarımcılarımız Koleksiyonu hazırlarken, mimari, sanat, heykel ve resimde görülen Barok Sanatından esinlendik.. Modayı ve trendleri harmanlayarak yeni koleksiyonumuz sizlerin beğenisine sunuldu.





Icon,

Baroque Art was born in Italy towards the end of the 16 th century. At the beginning of the 18 th century, this movement spread all over Italy and many European countries. The appearance, which was balanced in the Renaissance, has changed in the Baroque. As a result, flamboyant architectural structures and emotionally charged works took their place. The most important features of this movement are majesty, extremism and excitement.


While our designers were preparing the collection, we were inspired by the Baroque Art seen in architecture, art, sculpture and painting. Our new collection was presented to your liking by blending fashion and trends.



Our company has established in 2005 as GMZ wall coverings. We're manufacturing our products those exported in a 40.000 sqm which has 17.000 sqm indoor area in Konya, Turkey.

We reached millions of places with our wall coverings manufactured for domestic and foreign home, office and other living areas. We gained the appreciation of our partners and flourished day by day through our high stock, unconditional service, thousands of patterns, in–time delivery and products without sacrificing quality. We pulled out all the stops to improve dealership in Turkey and the world.

GMZ Wall Covering family will continue to journey by adding new parts to its values without sacrificing the principles in further.





The only product that solely use water-based ink in the industry.

Generally. 97% of toxic substances are emitted from the design print layer of a wallpaper. The wallpapers that use solvent-based ink show 40 times higher volatile organic compound (VOC) rate than wallpapers that use water-based, aqueous ink do. Just by using water-based ink, we reduced the VOC emission rate significantly and improved the environment of the production site.



Healthy Building Material aims to facilitate the sustainable and balanced development of the air purification, indoor air quality management and indoor environment control industries, contributing to the preservation of the environment with with improved air quality.



Vinyl wallcovering is a high quality, strong and enduring material. Constructed with a paper and vinyl design, these highly resistant wallpapers stand up to the test of time. From traditional to contemporary. Our collection of vinyl wallpapers offer a stylish and durable choice. They are washable and more resistant to damage than others kinds of wallpapers. Wallpapers are a perfect solution for commercial buildings and houses



Most important of all is to is recognize that good customer service encompasses any interaction, that a consumer or potential customer may have with your company, and it includes the entire experience, from initial contact to final sale and beyond.




[0)

Gmz continuously strives to produce ingenious products by taking various creative challenges to make differentiated designs and new interior trends. Furthermore, Gmz is operating the largest wallpaper designresearch institute in Turkey and training professional designers thorough the sysematic processes. Gmz's brand power has been enhanced by its differentiated designs that can stimulate customers' emotions and desires, and improve the value of their lives.

22

| DERTIFI | CATES | .E.P | | | CERTIFI | DATES |
|------------------------------|--|---|---|--|---|-----------------|
| GERTIFICATES | DERTIFICATES | GERTIFICAT | es c | ERTIFICATES | | DERTIFICATES |
| FICATES CERTIFICATES | TURKAK TURKISH ACCREDITATION AGENCY AZOLAB LABORATUVAR HIZMETLERI A. S. | | Azolah* | TURKAK TURKISH ACCREDITATION AGENCY OLAB LABORATUVAR HIZMETLERI A. Ş. TEST REPORT | 49-11307 (MATES (MATES (MATES) | FICATES |
| DERTIFICATES | Overall Rating: PASS | A8-119-7 1980002348 12.00.2019 | Parameter Category 1 Patavials redened Is be pict in the mouth or materials of typ with item sint contact (longer transits) | Category 2 Category 3 Macrials not covered by category I, with forecamble when contact for longer flam. 32 bigs of stars when contact log to 30 bigs of stars bigs | TATES | BERTIFICATES |
| TIFICATES CERTIFICATES | Report IV / Revision IV / Applicanti 1900002348 Applicanti GRZ 105: MALZ, SAR, TIC, LTO, STL, Social Address : Applicanti BU/D00XVACIE MARLA, DRC, SAR, VIC, LTO, STL, SELCIALU / KOWA Context Person : Burban (DAVTC) Context Person : Burban (DAVTC) Context Person : Burban (DAVTC) Serupia A-context - mail : burban/digmanilitions Serupia A-context - mail : burban/digmanilitions Dato of Person : 1103.2019 Dato of Person : 1103.2019 Dato of Person : 14.04.Perfek (FVC COATED) | | BNDCV(#P1RENE mg/kg < 6.2 | conducti) Tops in the scope of 1000448/FC Other products in the scope of Product Tops in the scope of 200448/FC Other products in the scope of Product < 0.2 | | IFICATES |
| CERTIFICATES CERTIFICATES | TEST METHOD * PHTHALATIS CPSC-CH-CL003.09 * Determination of PAP's APPS 05:2014-01 * CANCEROGERIC AND ALERGENIC DYESTUFF DIN 54231 * CANCEROGERIC AND ALERGENIC DYESTUFF DIN 54231 | RTIF | mg/g < %2 ORF/SDV < 6.2 | 50.2 <0.5 | ICATES | CERTIFICATES |
| RTIFICATES GERTIFICATES | Responsible | G/Laborationy Manager ESEXMARAK | Attrakotte, Tupokament maña maña maña maña sen 18 Mel 1 maña sen 18 Mel 1 maña sen 18 Mel 1 maña sen 18 Mel 1 maña | < 2 < 10 < 5 < 16 < 30 < 35 | CER | CERTIF |
| CERTIFICATES | (and and a Bfeler Dr | ERTU | | | IFICATES | CERTIFICATES |
| ERTIFICATES | A: Pleas N: Fried X: Nor Approximate 2.1: (ask of frequence MR-N) introducement VOL 2017 (premise) The main information of the standard international data in the standard and the frequence and the discussion of the discussion of the standard data in the standa | mention and and the address from making on the first and the address from making on the first and the address from the address from the address for and the address from the address for address for address from the address for address | n Paus II (m. 1. tal Againstin LE Lant d' Sanga Mil, In Angeomet R. 1997 NGC Paul & Alexa, S. 1. Santas | Comp. | CI | RTIFICATES |
| GERTIFICATES | GERTIFICATES | GERTI | FILAT | | GERTIFICATES | GERTIFICATES |
| CERTIFICATES | TURKAK TURKISH ACCREDITATION AGENCY AZOLAB LABORATUVAR HIZMETLERI A. Ş. TEST REPORT | AN-110-7 1000002240 1160.2019 | Azo ab | TURKAK TURKISH ACCREDITATION AGENCY OLAB LABORATUVAR HIZMETLERI A. Ş. TEST REPORT | 49-1159-7 1900002349 11.03.2019 | ERTIFICATES |
| ES DERTIFICATES | CANCEROGENIC AND ALERGENIC DYESTUFF DEV 54231 Tested Parts Result (ppm) Limit Value (ppm) 1 < 0.025 | Evaluation PRSS | PHTHALATES CFSC-CH-CL001.09 Tested Result Result Total R Parts (ppm) (%) (pp 1 < 50 | 50 <0.005 Total : 1000 Total : 0.1 | RTIFICATE | S |
| CERTIFICATES | Controlled Compounds : Direct Black 38 (CAS No: 1937-37-7) And Red 25 (CAS No: 3751-53-3) Bosic Red 9 (CAS No: 559-61-9) Direct Red 28 (CAS No: 559-61-9) Direct Red 28 (CAS No: 559-61-9) Direct Blue 6 (CAS No: 559-64) Direct Blue 6 (CAS No: 252-64-64) Direct Blue 6 (CAS No: 252-94-64) Blaster Orange 11 (CAS No: 522-99-5) Direct Polyange 11 (CAS No: 522-99-5) | TES | Forbidden Compounds : Di-loo-nong chthalate (DINP) ((Di-loo-cht) phhalate (DNOP) (Di-(2-cht)sheav)-phhalate (DEHP) ((Di-loo-cht) phhalate (DEP) ((But)shoory) phthalate (DIP) ((| (CAS No: : 20553-12-0 /60515-40-0) (CAS No: : 117-81-0) (CAS No: : 117-81-7) (CAS No: : : 151-40-0/60515-40-1) (CAS No: : : : : : : : : : : : : : : : : : : | 5 | CERTIFICATES |
| REA | The results have been determined by the device of Liquid Chromatography - Mass/Mass Spectros/copy (I.C. MS/ CANCEROGENIC AND ALERGENIC DYESTUFF D(N 54231 Tested Parts Result (ppm) Limit Value (ppm) 3 < 0.025 20 | Evaluation PASS | The results have been determined by the device of Gas PAH (POLI AROMATIK HIDROKARBONLAR) AFS (SS/2014-01 Tested Parts Result (ppe | Trad Bank / L. Jush Make | ERTIFICAT | ES DERTIFICATES |
| BERTIFICATES | Unit Value : 0-04x-Tex 100 based on standard. Reporting Limit. : 10,025 per | ATES | 1 <0.1 , "Evaluation by Category 3 - other products in the sco Limit Value : It is given by the custome According to APS GS 2014 Reporting Limit : 0.1 opm < : Lass than p | <10 12 is given below ee of ProdSG' | PASS | CERTIFICATES |
| ATES | Disperse Silve 1 (CAS No. 2475-46-6) Disperse Silve 3 (CAS No. 2475-46-6) Disperse Silve 7 (CAS No. 3179-40-6) Disperse Bilve 26 (CAS No. 3806-63-7) Disperse Bilve 105 (CAS No. 13806-63-7) Disperse Bilve 105 (CAS No. 13926-79-6) Disperse Bilve 105 (CAS No. 1514-18-1) Disperse Villow 1 (CAS No. 119-15-3) | C | Aceraphthylene (CAS No : 208-96-8) Fluorene (CAS No : 86-73-7) Fluorene (CAS No : 86-73-7) Fhenanthrene (CAS No : 85-01-8) Fluorene (CAS No : 85-01-8) | Pyranel (CAS No : 129-00-0) Benz(a)arthracene (CAS No : 59-55-3) Benze(k)fluoranthene (CAS No : 55-32-6) Chrystene (CAS No : 255-32-6) Chrystene (CAS No : 328-60-9) Aconaptitierie (CAS No : 328-60-9) Deend a, Intertiseere (CAS No : 53-70-3) | OFRIER | CERTIFICATE |











6 SUGA

15













42608-5













2 - 18 9 44 20 A 8 2 4






























See. 1





1. ... 20 :








































42612-11



























































| Page | Code | Page | Code | Page | Code |
|------|---------|------|----------|------|----------|
| 1 | 42608-2 | 23 | 42616-1 | 44 | 42612-11 |
| 2 | 42609-2 | 24 | 42616-4 | 45 | 42612-4 |
| 3 | 42608-4 | 25 | 42605-5 | 46 | 42601-1 |
| 4 | 42609-4 | 26 | 42605-3 | 47 | 42602-1 |
| 5 | 42608-3 | 27 | 42605-2 | 48 | 42601-4 |
| 6 | 42609-3 | 28 | 42605-1 | 49 | 42602-4 |
| 7 | 42608-5 | 29 | 42605-4 | 50 | 42601-3 |
| 8 | 42609-5 | 30 | 42610-3 | 51 | 42602-3 |
| 9 | 42608-1 | 31 | 42610-2 | 52 | 42601-2 |
| 10 | 42609-1 | 32 | 42610-1 | 53 | 42602-2 |
| 11 | 42607-1 | 33 | 42610-5 | 54 | 42600-3 |
| 12 | 42607-5 | 34 | 42610-4 | 55 | 42600-2 |
| 13 | 42607-2 | 35 | 42612-10 | 56 | 42600-1 |
| 14 | 42607-4 | 36 | 42612-1 | 57 | 42600-4 |
| 15 | 42607-6 | 37 | 42612-2 | 58 | 42620-2 |
| 16 | 42607-3 | 38 | 42612-3 | 59 | 42620-5 |
| 17 | 42615-3 | 39 | 42612-5 | 60 | 42620-4 |
| 18 | 42616-5 | 40 | 42612-7 | 61 | 42620-3 |
| 19 | 42615-2 | 41 | 42612-9 | 62 | 42620-1 |
| 20 | 42616-2 | 42 | 42612-8 | 63 | 42620-6 |
| 21 | 42616-3 | 43 | 42612-6 | 64 | 42620-7 |
| 22 | 42615-1 | | | | |



SPECIFICATION OF WALLPAPER WIDTH 1,06M X LENGTH 15.45M / ROLL 4 ROLL / BOX / (16,38 M²/ROLL)

GMZ WALLCOVERINGS IS THE LARGEST MANUFACTURER IN TURKEY WALLPAPER MARKET AND ONE OF THE GLOBAL LEADING COMPANIES TO EXPAND INTO OVERSEAS MARKETS.

www.gmzwall.com

MADE IN TURKEY



www.gmzwall.com